

*Thinking of you*

**Electrolux**

**electrolux e:line** kitchen collection

ovens

microwaves

cooktops

rangehoods

dishwashers

refrigerators





## table of contents

- 3. introducing the e:line collection
- 4. IOI™ intuitive oven interface
- 6. ovens
- 10. compact range and microwaves
- 12. tetsuya wakuda cooking authority
- 14. induction and maxisense cooktops
- 18. gas cooktops
- 20. ceramic cooktops
- 24. rangehoods
- 28. dishwasher
- 30. modular refrigeration
- 36. classic side by side refrigeration
- 37. compact side by side refrigeration
- 40. four-door refrigeration
- 41. built-in refrigeration
- 44. refrigerator dimensions and installation guide
- 47. top service

## introducing the e:line kitchen collection

Today, the kitchen takes centre stage as the focal point for guests when you entertain. It has evolved beyond the purely functional, into a space that reflects taste and personality. The modern kitchen is where passion is turned into cuisine.




With over 90 years experience in homes and leading restaurants around the world, Electrolux understands this and has created the Electrolux E:Line collection to take the kitchen into a whole new realm.

All individual appliances in the E:Line collection are designed to complement each other. Clean lines, horizontal pewter-toned glass bands and stainless steel exteriors blend to create a visual harmony.

This harmony is the result of a global design brief. Our designers from around the world worked closely with leading international kitchen architects to create a fresh, sophisticated look. The result – appliances that will create the perfect environment for both entertaining and stylish everyday living.

Every aspect of the Electrolux E:Line collection is easy to use. By marrying design simplicity with intuitive features, we've put you firmly in control of your kitchen.



## IOI™ intuitive oven interface

In order to make cooking easier, we watched how people use their ovens in real life and learnt from chefs who use programmable cooking. By doing so, we have removed complexities and designed our ovens to be intuitive to use. We call this IOI™ – Intuitive Oven Interface.



IOI™ Intuitive Oven Interface

### so what does it really mean?

The genius of IOI™ makes the oven so easy to control you won't need a manual to use it. No more of those controls, applications and symbols that become so confusing even the clock is left unset.

### intuitive by design

IOI™ lets you operate the oven intuitively from left to right, pushing buttons across the controller, with clear wide screens displaying simple words, rather than confusing icons.

Once the function is selected, the recommended temperature is automatically displayed, which can be changed instantly to suit your personal cooking styles.

As well as a standard countdown timer function, you can also program what time you want your meal to start cooking and when you want it to finish. Simply add your food and walk away. Cooking will commence as programmed, rewarding you and your guests with more consistent and impressive results – free of stress or extra effort.



The IOI™ Intuitive Oven Interface puts you in control



products shown:  
EOEE63AS (left) and EPEE63AS pyrolytic (right) single 10l™ ovens,  
ERCE9020AS rangehood

## electrolux e:line ovens – so intuitive, no manual required

Elegant, intuitive and contemporary – the oven is the centrepiece of the kitchen.

Your natural affinity with style and beauty will draw your attention to the ovens in the Electrolux E:Line collection. They exhibit the same clean horizontal lines, signature design elements and ease of use as the other appliances in the E:Line collection.

### designed for you

Everyone's cooking needs vary. With single, duo or double electric ovens we cover them all. The large capacity of the 80 litre oven will make catering for every occasion quick and easy, while energy use is kept to a minimum – meeting Europe's highest energy standards (EN50304).

Then there are the myriad of little ways that we've thought about you. Multi-position rack settings increase cooking flexibility. The telescopic grill and baking tray simplify managing your cooking. The split grill insert can be easily washed in a dishwasher.

The IOI™ models automatically select fast heat up mode to get you cooking quicker. The intelligent electronics maintain your set temperatures to ensure your food is cooked just how you want it, when you want it.

### chemical-free easy cleaning

The new Electrolux E:Line Pyroluxe™ oven brings new convenience to cleaning. Simply select one of the three pyrolytic cleaning functions and the oven heats up to a temperature that turns grease and organic residues to ash. The oven cavity when cool is then easily wiped clean.



EDEE63AS shown with optional extra cast baking dish



EPEE63AS shown



telescopic racks shown with optional extra cast baking dish

single electric oven  
 features†


model	EPEE63AS	EOEE63AS	EOEE62AS	EOEM61AS
gross capacity – litres	80	80	80	80
usable (net) capacity – litres	66	66	66	66
materials/colour	mark-resistant stainless steel	mark-resistant stainless steel	mark-resistant stainless steel	mark-resistant stainless steel
IOI™	▪	▪	▪	▪
oven functions	multi-function 12	multi-function 12	multi-function 8	multi-function 8
fan cooking	▪	▪	▪	▪
fan assist bake	▪	▪	▪	▪
traditional bake	▪	▪	▪	▪
roast	▪	▪	▪	▪
pizza	▪	▪	▪	▪
pastry	▪	▪	▪	▪
rapid heat	▪	▪	▪	▪
cook from frozen	▪	▪	▪	▪
full grill	▪	▪	▪	▪
grill	▪	▪	▪	▪
fan grill	▪	▪	▪	▪
keep warm	▪	▪	▪	▪
defrost	▪	▪	▪	▪
<b>features</b>				
controls	electronic IOI™	electronic IOI™	electronic IOI™	mechanical
timer	programmable	programmable	programmable	programmable
cleaning	pyrolytic	catalytic	catalytic	catalytic
pyrolytic cleaning functions	light/medium/heavy			
lights	1	3	3	3
shelf supports	multi-position rack	multi-position rack	multi-position rack	multi-position rack
telescopic slides	2	2	2	2
closed door grilling	▪	▪	▪	▪
door glass layers	4	3	3	3
light activation by door	▪	▪	▪	▪
<b>included accessories</b>				
number of shelves	2	2	2	2
grill/oven pan	▪	▪	▪	▪
grill insert	split anti-spatter	split anti-spatter	split anti-spatter	split anti-spatter
pizza/baking tray	1	1	1	1
fan filter	▪	▪	▪	▪
cast baking dish	optional extra	optional extra	optional extra	optional extra
<b>power requirements</b>				
connection	hard wired	hard wired	hard wired	hard wired
maximum power rating	3.1kW	3.1kW	3.1kW	3.1kW
maximum current rating	12.9 Amps	12.9 Amps	12.9 Amps	12.9 Amps
<b>dimensions^</b>				
product (h x w x d) mm	595 x 595 x 573	595 x 595 x 566	595 x 595 x 566	595 x 595 x 566
cut-out flush fit (h x w x d) mm	600 x 600 x 581			
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

## double/duo electric oven features†



model	EDEE63AS		EUUE63AS	
	main oven	second oven	main oven	second oven
gross capacity – litres	80	80	80	46
usable (net) capacity – litres	66	66	66	35
materials/colour	mark-resistant stainless steel		mark-resistant stainless steel	
IOI™	▪	▪	▪	▪
oven functions	multi-function 12	multi-function 6	multi-function 12	multi-function 6
fan cooking	▪	▪	▪	▪
traditional bake	▪	▪	▪	▪
fan assist bake	▪	▪	▪	▪
roast	▪	▪	▪	▪
pizza	▪	▪	▪	▪
pastry	▪	▪	▪	▪
cook from frozen	▪	▪	▪	▪
full grill	▪	▪	▪	▪
grill	▪	▪	▪	▪
fan grill	▪	▪	▪	▪
keep warm	▪	▪	▪	▪
defrost	▪	▪	▪	▪
<b>features</b>				
controls	electronic IOI™	electronic IOI™	electronic IOI™	electronic IOI™
timer	programmable	programmable	programmable	programmable
catalytic liners	sides/top/rear	sides/top/rear	sides/top/rear	sides/rear
lights	3	3	3	1
shelf supports	multi-position rack	multi-position rack	multi-position rack	rack
telescopic slides	2	2	2	1
closed door grilling	▪	▪	▪	▪
door glass layers	3	3	3	3
<b>included accessories</b>				
number of shelves	4		3	
grill/oven pan	2		2	
grill insert	split anti-spatter		split anti-spatter	
pizza/baking tray	2		1	
cast baking dish	optional extra		optional extra	
<b>power requirements</b>				
connection	hard wired		hard wired	
maximum power rating	5.8kW		5.7kW	
maximum current rating	24.1 Amps		23.9 Amps	
<b>dimensions^</b>				
product (h x w x d) mm	1081 x 595 x 566		888 x 595 x 566	
cut-out flush fit (h x w x d) mm	1086 x 600 x 581		893 x 600 x 581	
<b>availability</b>	AU / NZ		AU / NZ	

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.




product shown:  
EDEE63AS double oven with IOI™ technology

## unique appliances, compact design

Electrolux compact ovens and microwaves are designed to beautifully integrate with the E:Line kitchen collection. Each component shares the same sophistication in design and innovation to complete the E:Line vision of seamless harmony.



compact combination oven EOK86030X above microwave EOK76030X



EMS3067X shown



EMS3067X shown

The specialised range of compact kitchen appliances will free-up your bench space, save you time and give you the opportunity to entertain with flair.

Through intelligent design, both the compact combination and compact microwave feature microwave functionality without the need of a turntable, ensuring the most efficient use of space, while the countertop and built-in microwaves feature convection, microwave, grilling and a combination of cooking modes.

The compact ovens feature easy to use touch controls with programs conveniently listed on the inside of the door, fingerprint-resistant exterior, enamel interior, glass bottom and removable door for easy cleaning.

Sharing the same sophisticated style, the countertop and built-in microwaves have been designed to integrate seamlessly into the E:Line kitchen collection while giving you the ability to microwave or grill through its intuitive features.

### compact combination oven

This perfectly styled compact oven is a fully multi-functional fan forced oven and grill, which combines the speed and benefits of a microwave. It bakes perfect meals up to 60% faster than traditional cooking methods. Features 12 automatic functions, 5 oven functions and simultaneous cooking on two levels.

### compact built-in microwave

A stunning built-in microwave, designed to integrate seamlessly with the E:Line range of ovens, while freeing-up your bench space for food preparation. The Micro Oven combines microwave functions with the benefits of grilling. Features 10 automatic programs and 2 oven functions.

### countertop and built-in microwave

These microwave ovens give you the option to quickly defrost food by weight as well as time while multi-staged cooking uses precise power levels at different stages in cooking, to cook food from frozen to finish in the one function.



## compact ovens features†

model	EOK86030X	EOK76030X
oven type	combination oven	microwave
usable (net) capacity – litres	31	31
materials/colour	mark-resistant stainless steel	mark-resistant stainless steel
programmed functions	12	10
fan forced cooking	▪	
rapid heat	▪	
microwave	▪	▪
microwave quick start	▪	▪
combination functions	2	1
grill	▪	▪
fan grill	▪	
defrost	▪	▪
<b>features</b>		
controls	touch	touch
memory function	▪	▪
child safety	▪	▪
<b>included accessories</b>		
baking tray	1	
crisp pan		1
shelves	1	1
<b>power</b>		
connection	hardwire	hardwire
maximum power rating	3.6kW	3.7kW
required fuse	16 Amps	16 Amps
microwave power	1000W	1000W
grill power	1500W	1500W
fan element power	1650W	
<b>dimensions^</b>		
product (h x w x d) mm	388 x 594 x 567	388 x 594 x 567
cut-out flush fit (h x w x d) mm	390 x 600 x 570	390 x 600 x 570
<b>availability</b>	AU / NZ	AU only

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

**new**



## microwave ovens features†

model	EMC2867BI	EMS3067X
installation	built-in	countertop
capacity	mid-sized	mid-sized
materials	mark-resistant stainless steel + glass	mark-resistant stainless steel + glass
controls	electronic push button + rotary dial	electronic push button + rotary dial
LED display	▪	▪
<b>features</b>		
convection	▪	▪
grill	▪	▪
microwave	▪	▪
combination functions	4	4
quick start	▪	▪
variable power level	▪	▪
auto cook	▪	▪
auto defrost	▪	▪
auto reheat	▪	▪
<b>power</b>		
voltage	230-240V / 50Hz	230-240V / 50Hz
maximum current rating	10 Amp	10 Amp
connection	cord and plug	cord and plug
microwave power	900W	900W
grill power	1100W	1100W
convection power	2350W	2350W
<b>product dimensions</b>		
(h x w x d) mm	460 x 594 x 502 (with trim kit & including handle)	325 x 530 x 510 (including handle)
<b>availability</b>	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

## tetsuya wakuda cooking authority

Ever since Tetsuya Wakuda started cooking at his tiny restaurant in Sydney's Rozelle in 1989, he has been showered with accolades. Currently, his eponymous restaurant, now based in a stunning heritage-listed house in Kent Street, Sydney, is rated in the top 20 of the world's best restaurants and the Best Australasian Restaurant in *The S.Pellegrino World's 50 Best Restaurants* 2009 list and has been awarded three chef's hats (the highest rating) for the 18th year running in the 2009 *Sydney Morning Herald Good Food Guide*.

Tetsuya's exquisitely refined cooking has long attracted devotees from around the globe; indeed, more than half of his restaurant's bookings are made from overseas. And although he travels extensively, he can still usually be found, sleeves rolled up, at the stoves in Kent Street.

Tetsuya, in turn, has long been a devotee of Electrolux appliances, and his private kitchen at the restaurant is equipped with the original Electrolux Gallery collection.

"I've known the company for years and I've been using Electrolux equipment ever since I started in Rozelle. In Europe it's one of the most popular brands for commercial kitchens, and for the home cook it offers the same durability, reliability and ease of cleaning needed on a large scale in restaurants. Induction cooking has been around a long time, so it's tried and tested. It cuts down on radiant heat – which keeps commercial kitchens cooler – so it's perfect for Australian conditions."

Although Tetsuya jokingly describes himself as the 'gadget king', he stresses that success in the restaurant means being consistent. "I need equipment that will give me the same result each time. For example, say we're poaching ocean trout in herbs and olive oil at a low temperature, we know that every time we do this using induction the result will be the same – perfect – which is essential for restaurant cooking. With induction, the heat is consistent across the entire base of the pan. You go to Alain Ducasse's kitchens and he's using an induction wok – far more efficient and quicker than gas!

"It's also about cutting down the time you spend cleaning up. If something boils over, it's just a matter of wiping down a surface – which means you need fewer chemicals for cleaning."

Tetsuya is noticing the increasing awareness centred on health and well-being issues in Europe, something he feels is mirrored in Australia.

"At the restaurant our cooking is definitely European, with our own touches, of course, to make it interesting. It's Mediterranean really – we hardly use any butter or cream; certainly not in our savoury cooking, when we use mostly olive oil. For us, the healthy choice we make is in the produce. We use organic ingredients as much as we can, and we like to know where our produce comes from, how it's been reared or grown, by producers who care" he explains.

"Everyone's so busy nowadays that people tend to eat out more during the week. But I think the weekends are different, and that the kitchen is increasingly becoming the heart of home life, where you can relax with family and friends. You can see it in the way kitchen design is changing – open-plan living rooms that centre around the kitchen, where you can chat over a glass of wine while you're cooking. So although the kitchen may only be used a few times a week, it needs to be more user-friendly, ergonomic, stylish and, most importantly, easy to clean! After you've been entertaining, you don't want to spend two hours in the kitchen cleaning up!" he laughs.

Overall though, Tetsuya sees a more fundamental shift, observing, "nowadays people are definitely more educated about food. Fifty years ago people ate to survive; now, increasingly, people eat to enjoy."

And those on the waiting list at Tetsuya's would be the first to agree...



By Sally Feldman – a freelance writer and copy editor on publications, including *The Weekend Australian's* 'Travel and Indulgence' section, *Luxury Travel & Style* magazine, *Vogue Entertaining + Travel*, and ABC's *Delicious* magazine.



## electrolux induction cooktops – safe, precise and powerful

Induction cooking will revolutionise your kitchen. No domestic cooking system heats faster, uses less power or is more precise and safe to use than induction – not even gas!

Precision perfect cooking is no longer a case of luck over good judgement. Exact temperatures can be reached and maintained easily. This greater precision enables you to do things like melt chocolate without it burning or to simmer special sauces without them boiling. Control is at your fingertips with induction cooking. The electromagnetic method of heat transfer utilised in induction cooking uses energy to maximum efficiency, conserving power. Unlike other cooking appliances there is virtually no pre-heating phase.



*EHD68200P shown*

### take the heat out of the kitchen

As there are no naked flames, the residual heat experienced with induction zones is substantially reduced, keeping the kitchen cooler and the food perfect. Naturally this means surfaces are much easier to wipe clean, as spilt food is not burnt onto the cooktop or surrounds.

Additionally, if there is no pot on the induction zone, the zone will not heat up, avoiding accidents that can occur when cooktops are left on. Simple to operate and elegantly designed, an Electrolux induction cooktop will fit seamlessly into your kitchen.

For people who like to mix the new with the classic, there's also the choice of a combination cooktop which combines state-of-the-art induction technology with conventional electric cooking.

### how does it work?

Induction technology uses electromagnetic fields to transfer energy to the cooking pot which then converts into heat. The heat is generated at the base of the pan, not by a cooking element. In effect, this turns the pan itself into a hotplate and removes a significant amount of radiant heat from the cooktop surface. As a result, control is instantaneous.

### suitable induction cooking utensils

You may not need to buy new cookware to enjoy the benefits of induction cooking. The simple test to see if your pots or pans are suitable for induction is if a magnet sticks to the base of the cookware.

### stylish touch & slide temperature control

Electrolux E:Line induction cooktop surfaces now feature touch slide controls (except EHD60100P), to showcase the latest in innovative user technology for your kitchen. This impressive detail to design completes the sleek appearance of your cooktop, while giving you perfect temperature control. Simply slide your finger along the glass surface to change cooking temperature instantly.



*bevelled sides*



*induction zones  
(EHD60100P, EHD60150P, EHD80170P only)*

## maxisense induction cooking knows no boundaries

Electrolux innovation brings you two new induction cooktops which offer maximum cooking freedom and flexibility with professional results – for people who love to cook.



reddot design award  
winner 2008



*keeping multiple dishes warm*

### ultimate flexibility

The maxisense induction cooktops are developed with three or four extra large induction zones, which detect pan presence and location and are not restricted to traditional circular zones. This allows pots of various sizes to be placed anywhere on the cooktop, provided they come into contact with the induction crosshair.

Large pans or pots can be placed horizontally across two zones (on the three zone model EHD90230P) or vertically (on the four zone model EHD68210P), while a number of smaller pans can be heated on the remaining available space.

### thoughtful design

The three zone maxisense has all zones and controls at the front of the cooktop. This eliminates the need to reach over hot pans, whilst making full use of cooking space.

### european style

The maxisense range is imported from Germany, finished in sleek black ceramic glass, clean bevelled edges and integrated electronic controls. Both hobs are perfectly styled to work seamlessly with the Electrolux E:Line range.

### stop and go

The simple to use Stop and Go function gives you the ability to leave the cooktop on a keep warm setting if you are called away. When you are ready to start cooking again, by pressing Stop and Go, the cooktop will return to your previous setting.



*cooking across two zones*

new



new



## maxisense induction cooktop features†

model	EHD68210P	EHD90230P
energy/heat source	electric/induction	electric/induction
colour	black	black
trim	bevelled (sides only)	bevelled (sides only)
controls	slide touch pad	slide touch pad
safety cut-out	▪	▪
cooking timer with acoustic signal	▪	▪
auto switch-off	▪	▪
auto heat-up	▪	▪
child lock	▪	▪
keep warm function	▪	▪
<b>cooking zone ratings</b>		
left front*	2300W (b-3200W)	2300W (b-3200W)
right front*	2300W (b-3200W)	2300W (b-3200W)
centre*		2300W (b-3200W)
left rear*	2300W (b-3200W)	
right rear*	2300W (b-3200W)	
<b>power requirements</b>		
connection	hard wired	hard wired
maximum power rating	7.4kW	6.9kW
<b>dimensions^</b>		
product (w x d) mm	710 x 520	910 x 410
cut-out (w x d) mm	680 x 490	880 x 380
<b>availability</b>	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

\*b = booster ratings

## induction cooktop features†

new



new



model	EHD60100P	EHD60150P	EHD80170P
energy/heat source	electric/ribbon + induction	electric/induction	electric/induction
colour	black	black	black
trim	bevelled (sides only)	bevelled (sides only)	bevelled (sides only)
controls	touch pad	slide touch pad	slide touch pad
safety cut-out	▪	▪	▪
cooking timer with acoustic signal	▪	▪	▪
auto switch-off	▪	▪	▪
auto heat-up	▪	▪	▪
child lock	▪	▪	▪
<b>cooking zone ratings</b>			
left front*	2300W (b-3700W)	2300W (b-3600)	1800W (b-2500W)
right front*	1400W (b-1800W)	1400W (b-1800W)	1400W (b-1800W)
left rear*	1200W (not induction)	1800W (b-2800W)	1800W (b-2500W)
right rear*	700/1700W (not induction)	1800W (b-2800W)	2400W (b-3700W)
<b>power requirements</b>			
connection	hard wired	hard wired	hard wired
maximum power rating	6.6kW	7.4kW	7.4kW
<b>dimensions^</b>			
product (w x d) mm	590 x 520	590 x 520	780 x 520
cut-out (w x d) mm	560 x 490	560 x 490	750 x 490
<b>availability</b>	AU only	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

\*b = booster ratings

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.



## tetsuya's roasted scampi seasoned with tea and scampi oil

the key to this dish is to just cook the scampi –  
once overcooked the flesh will turn mushy

10 medium-sized scampi, halved lengthwise  
salt and white pepper  
1 teaspoon ceylon tea  
1 tablespoon scampi oil  
½ teaspoon banyuls vinegar or sherry vinegar  
ogonori or wakame

### **garnish**

deep-fried julienned leek  
shredded nori  
preheat oven to 260°C (500°F)

season the scampi with salt and  
white pepper to taste.

grind the tea to a powder and  
sprinkle on top of the scampi.

place the scampi halves on a baking tray  
and put in the oven for 3 minutes. as soon  
as the scampi feel hot to touch, they are  
ready. they should be just cooked and  
still look slightly translucent.

combine the scampi oil and vinegar.  
to serve, place a little ogonori on the  
base of serving plates.

place the scampi halves on top, drizzle  
with the combined scampi oil & vinegar,  
and garnish with the leek and nori.

serves 4

© copyright tetsuya wakuda

## electrolux e:line gas cooktops

If you love the theatre and spectacle of cooking, the Electrolux E:Line gas cooktops will ensure drama is part of every meal.



*EHGF97BX shown*

### loved by many

Quick and responsive, gas cooktops are loved by many. The Electrolux E:Line gas cooktop range offer you the choice of sleek black ceramic glass or a stylish stainless steel base under cast iron trivets.

### power to deliver great taste

For the ultimate in cooking performance and perfection the E:Line gas cooktops deliver high power focused heat, perfect for wok cooking and pan frying.

The simple but effective innovation of flattening the gas trivets or pan supports, results in pans being able to glide effortlessly across the cooktop without the trivets getting in the way. The E:Line range of gas cooktops feature flame failure sensors, which automatically turns off the gas to the burner if the flame goes out.

Some of the cooktops have the wok burner offset to enable more space on the cooktop, allowing you to be creative without compromising on cooking space.



gas cooktop features†



model	EHG97BS	EHG97BX	EHG95AS
colour/finish	black/ceramic glass	stainless steel	black/ceramic glass
trim finish	stainless steel		stainless steel
electronic ignition	▪	▪	▪
flame failure safety	▪	▪	▪
<b>burners*</b>			
left front	triple ring wok (15.0MJ/h)	triple ring wok (15.0MJ/h)	triple ring wok (14.4MJ/h)
left rear			semi-rapid (9.0MJ/h)
centre front	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	rapid (12.1MJ/h)
centre rear	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	
right front	simmer (5.1MJ/h)	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	rapid (12.1MJ/h)	rapid (12.1MJ/h)	rapid (12.1MJ/h)
<b>power requirements</b>			
connection	10 Amp plug and lead	10 Amp plug and lead	10 Amp plug and lead
<b>dimensions^</b>			
product (w x d) mm	896 x 531	896 x 531	863 x 531
cut-out (w x d) mm	860 x 490	860 x 490	830 x 470
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

\* Burners are rated for Natural Gas.



model	EHG77BS	EHG77BX	EHG64AS
colour/finish	black/ceramic glass	stainless steel	black/ceramic glass
trim finish	stainless steel		stainless steel
electronic ignition	▪	▪	▪
flame failure safety	▪	▪	▪
<b>burners*</b>			
left front	triple ring wok (15.0MJ/h)	triple ring wok (15.0MJ/h)	triple ring wok (14.4MJ/h)
left rear	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)
right front	simmer (5.1MJ/h)	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	rapid (12.1MJ/h)	rapid (12.1MJ/h)	rapid (12.1MJ/h)
<b>power requirements</b>			
connection	10A plug and lead	10A plug and lead	10A plug and lead
<b>dimensions^</b>			
product (w x d) mm	746 x 531	746 x 531	612 x 531
cut-out (w x d) mm	680 x 490	680 x 490	570 x 490
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

\* Burners are rated for Natural Gas.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

## electrolux e:line ceramic cooktops

The easy clean practicality of the Electrolux E:Line ceramic electric cooktop blends in perfectly with the E:Line kitchen collection.

### sleek and stylish

The black ceramic electric cooktop gives the same sleek, stylish finish as the induction cooktop. It blends the traditional convenience of an electric cooktop with the unified look of the Electrolux E:Line collection.

### flexibility and control

In addition to the four cooking positions, one element is a dual or triple zone cookplate, giving you 2 or 3 variable hotplates in one.

An extended zone on the EHET96CS gives you the flexibility to use rectangular cookware.

Simple touch controls at your fingertips make it easy to control the heat allowing you to concentrate on preparing the perfect meal.


### easy to clean

The smooth black ceramic surface is tough and durable while being easy to maintain.

And being a completely flat surface maximises use of cooking space.

### stop and go

The simple to use Stop and Go function gives you the ability to leave the cooktop on a keep warm setting if you are called away. When you are ready to start cooking again, by pressing Stop and Go, the cooktop will return to your previous setting.



touch controls on ceramic cooktops



knob controls on ceramic cooktops

ceramic cooktop  
features†

model	EKET66CS	EKET96CS	EHEC65BS
colour/finish	black/ceramic glass	black/ceramic glass	black/ceramic glass
trim finish	stainless steel	stainless steel	stainless steel
control	touch control	touch control	rotary knob
stop and go function	▪	▪	
safety child lock	▪	▪	
function lock	▪	▪	
<b>elements</b>			
left front	800W/1600W/2300W	800W/1600W/2300W	750W/2200W
left rear	1200W	1200W	1200W
right front	1200W	1800W	1200W
right rear	1800W	1400W/2200w	1800W
<b>power requirements</b>	6.5kW	7.5kW	6.4kW
connection	hard wired	hard wired	hard wired
<b>dimensions^</b>			
product (w x d) mm	610 x 515	896 x 515	610 x 515
cut-out (w x d) mm	560 x 490	880 x 490	560 x 490
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ

^ **Important!** The above dimensions are a guide only. For complete dimensions and installation requirements, you must refer to the information provided with the product or visit the websites listed at the bottom of the page.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.





products shown:  
EMC2867BI built-in microwave oven, EPEE63AS Pyroluxe™ oven, ERCE9020AS rangehood,  
EHD80170P induction cooktop, EOEE62AS (left) and EOEE63AS (right) single IOL™ ovens,  
ETM5207SC-L modular top mount fridge with EBM5107SC-R modular bottom mount fridge

## electrolux rangehoods – clean lines, clean air, exceptional power

When designing your kitchen, the rangehood completes the story – the finishing touch for every modern kitchen. And with today's open plan kitchen designs, creating a clean quiet atmosphere is more important than ever.



*Quieter kitchens make for more enjoyable entertaining*

### **entertain without interruptions**

Our new canopy rangehoods are designed to be whisper quiet and impressively powerful. You can enjoy entertaining without the distraction of cooking smells, smoke and unwelcome noise.

### **bold and striking or understated**

Electrolux understands the need to create the perfect environment for entertaining and stylish everyday living. That's why our rangehoods are designed to complement any kitchen and reflect current trends.

A popular model, the canopy rangehood is styled to showcase your kitchen appliances. The new glass canopy rangehood presents a stunning alternative, its sleek contemporary fascia will flatter any kitchen interior.

The bold lines of the new stainless steel canopy rangehoods are striking and almost sculptural in appearance. Manufactured from stainless steel with a pewter-tone inlay, or stainless steel and glass, they flow harmoniously with the Electrolux E:Line kitchen collection. Their superior extraction and ultra quiet operation make them the obvious choice for those who seek the best.

If you prefer to keep your kitchen simple and minimalist, a fully integrated or slide out rangehood would suit your needs, as they are discreetly hidden within your kitchen cabinetry.



*Sleek and stylish glass touch panel*



*Seamless integration across the entire E:Line range*

canopy  
rangehood  
features†



model	ERCG9030AS	ERCE9020AS	ERCM9010AS
installation/rangehood style	wall canopy	wall canopy	wall canopy
finish	glass, stainless steel with pewter-tone inlay	stainless steel with pewter-tone inlay	stainless steel
max. air flow	961m <sup>3</sup> /hr	1120m <sup>3</sup> /hr	950m <sup>3</sup> /hr
filters	multi-layer with stainless steel covers	3 multi-layer with stainless steel covers	3 multi-layer with stainless steel covers
fan speeds	3 + boost	3 + boost	3
auto-off fan timer	▪	▪	▪
lights	2 x 20W halogen	2 x 20W halogen	2 x 20W halogen
controls	electronic touch	electronic touch	electronic push button
centrifugal fan	1	1	1
recirculating option	▪	▪	▪
optional carbon filters	▪	▪	▪
noise level dB(A) (maximum)	64 (high) 66 (boost)	56 (high) 60 (boost)	56
electrical supply required	240V/50Hz	240V/50Hz	240V/50Hz
dishwasher safe filters	▪	▪	▪
<b>product dimensions†</b>			
(h x w x d) mm	70* x 900 x 520	100* x 900 x 500	100* x 900 x 500
duct diameter	150mm	150mm	150mm
flue cover depth	333mm	330mm	330mm
flue cover width	407mm	395mm	395mm
max. chimney height from underside of body	1260mm	1275mm	1275mm
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ

\*body height

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

## integrated rangehood features†



model	EFG750X/A	EFG540G/A
installation/rangehood style	under cupboard/integrated	under cupboard/integrated
finish	stainless steel	grey
air flow	530m <sup>3</sup> /hr	360m <sup>3</sup> /hr
filters	2	2
fan speeds	3	3
lights	2 x 40W	2 x 40W
controls	slide	slide
centrifugal fan	2	2
recirculating kit	▪	▪
optional carbon filters	▪	▪
noise level dB(A) (maximum)	68	67
electrical supply required	240V/50Hz	240V/50Hz
washable filters	▪	▪
<b>product dimensions†</b>		
(h x w x d) mm	307 x 702 x 284	150 x 524 x 289
duct diameter	150mm	120mm
<b>availability</b>	AU / NZ	AU / NZ

## slide out rangehood features†



model	EFP9500X/A	EFP6500X/A
installation/rangehood style	integrated/slide out	integrated/slide out
finish	stainless steel	stainless steel
air flow	390m <sup>3</sup> /hr	390m <sup>3</sup> /hr
filters	4	2
fan speeds	3	3
lights	2 x 40W	2 x 40W
controls	switch & slide	switch & slide
centrifugal fan	1	1
recirculating kit	▪	▪
optional carbon filters	▪	▪
noise level dB(A) (maximum)	67	67
electrical supply required	240V/50Hz	240V/50Hz
washable filters	▪	▪
<b>product dimensions†</b>		
(h x w x d) mm	175 x 898 x 300	175 x 598 x 300
duct diameter	125mm	125mm
<b>availability</b>	AU only	AU only

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.



products shown:  
EOEE62AS (left) and EOEE63AS (right) single IOI™ ovens,  
EHGC95AS 900mm gas cooktop, ERCE9020AS rangehood,  
EX601SC dishwasher, EBM4307SC-L modular bottom mount  
fridge paired with ERM4307SC-R modular all vertical fridge

## electrolux e:line dishwasher – smart lines, sparkling results

The Electrolux E:Line dishwasher boasts clean European-inspired lines and engineering excellence that will ensure cleaning up after entertaining is a breeze.

For those devoted to culinary perfection, there is little more satisfying than plating the ultimate gourmet delight on glistening clean plates. Relax and enjoy your evening, knowing that the wall of dirty dishes can be knocked over with the push of a button.

### built for your lifestyle

From the fast and functional quick 30 minute program which gives a great wash to lightly soiled dishes in only half an hour, to the anti-bac® option which removes up to 99.9% of harmful germs for the ultimate in hygienic washes.

### flexible interiors

With an interior that can be easily adjusted to fit everything from large pots and pans to glasses of all shapes and sizes, this dishwasher makes entertaining a breeze.

### energy saving technology

This E:Line dishwasher features unique technology, which determines how much water is needed therefore saving you energy and money.



*foldable cutlery basket*



*concealed control panel*



*flexible interiors*



## dishwasher features†

model	EX601SC
size	600mm
model type	built-under‡
door	mark-resistant stainless steel
top mounted controls	▪
push button controls	▪
place settings	12
anti+bac® program	▪
auto program	▪
eco program	▪
quick 30 minute program	▪
rinse program	▪
drying system	active dry
delay start	1–19 hours
tablet function	▪
load and turbidity sensing	▪
water safety system	aqua control
anti-flood device	floating switch
height adjustable upper basket	▪
foldable plate racks in lower basket	4
foldable plate racks in upper basket	4
water efficiency star rating*	4
water consumption (litres)	11.9
energy star rating	2.5
noise level dB(A)	48
product dimensions^ (h x w x d) mm	818-878 x 596 x 575
availability	AU / NZ

‡ Built under dishwasher needs to be secured under a counter with supplied brackets and screws. Option to integrate the dishwasher behind a cabinetry kick panel if required.

\* WELS Standard AS/NZS 6400.2005

^ Note: Above dimensions are product dimensions only, not building-in cut-out dimensions.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

## e:line modular refrigeration professional styling to impress

The range of Electrolux E:Line Kitchen Collection appliances is the result of collaboration between our global designers and leading kitchen architects.



*modular bottom mount fridge EBM5107SC-L with bottom mount fridge EBM5107SC-R*

When you choose from the E:Line modular range, you experience the sophisticated styling of linear design and high quality stainless steel, creating a standout in any living space.

### **freedom to mix and match**

By mixing and matching the 10 Electrolux E:Line modular fridges, you can create up to 25 combinations, to give you a customised refrigeration solution. Whatever your choice, as a single or modular combination, there's a model to perfectly match your living space and lifestyle.

### **aim for the stars**

The entire range of modular fridges use R600a refrigerant and now boasts a minimum 5 star energy rating, so you can feel confident your refrigerator is creating less impact on the environment.



*visual harmony across the E:Line kitchen collection*



*infinitely adjustable interiors*



*the mother nature of all fridges*




*e:line modular bottom mount fridge EBM4307SC-L with single door fridge ERM4307SC-R, dishwasher EX601SC*

## modular refrigeration features

### modular configuration

The modular range allows you the freedom to mix and match 10 different fridge and freezer combinations to create 25 different options. This ensures there's a fridge to satisfy all of your food storage needs.



### total control

Separate temperature controls allow you to get the perfect temperature in the fridge as well as the freezer. They're situated externally on the door for electronic models, or internally for all other models.

### handles that do more than open doors

The professionally inspired, sleek bar handles look exceptional in any living space. They are designed to take the effort out of opening and closing the fridge or freezer door.



### innovative deli drawers

This compartment has independent chill outlets and is designed to isolate odours, providing storage for speciality food.

### visual harmony

The Electrolux E:Line range of fridges, dishwashers and built-in cooking appliances will give your kitchen seamless style.



### create the ideal environment

Humidity controls on each crisper create the ideal storage environment to keep fruit and vegetables garden fresh.

### mark-resistant stainless steel

The invisible, mark-resistant coating helps protect the exterior of the fridge from everyday fingerprints and grime. This reduces cleaning time and helps keep the sleek appearance of your kitchen.



### simply twist & serve

The ingenious twist ice server is an easy way to dispense ice. Store the frozen ice in the removable tray and freeze more – perfect for parties or everyday refreshments.

### easy glide access

No matter how full the crisper and freezer drawers, easy glide telescopic runners ensures effortless access to your food.



### energy stars

This globally recognised mark of energy efficiency means your refrigerator is in the top 25% of the most energy efficient appliances on the Australian and New Zealand market. For more information visit [www.energystar.co.nz](http://www.energystar.co.nz)

## freedom to mix and match 10 models, 25 combinations

By mixing and matching the 10 Electrolux E:Line modular fridges, you can create up to 25 combinations, providing you with a customised refrigeration solution. Whatever your decision, there's a model or combination to perfectly match your living space and lifestyle.

	 122L 396L ETM5207SC-R	 349L 156L EBM5107SC-R	 103L 339L ETM4407SC-R	 300L 131L EBM4307SC-R	 430L ERM4307SC-R
 122L 396L ETM5207SC-L	 ERS5252-01C	 ERS5251-01C	 ERS5244-01C	 ERS5243-01C	 ERS5240-01C
 349L 156L EBM5107SC-L	 ERS5152-01C	 ERS5151-01C	 ERS5144-01C	 ERS5143-01C	 ERS5140-01C
 103L 339L ETM4407SC-L	 ERS4452-01C	 ERS4451-01C	 ERS4444-01C	 ERS4443-01C	 ERS4440-01C
 300L 131L EBM4307SC-L	 ERS4352-01C	 ERS4351-01C	 ERS4344-01C	 ERS4343-01C	 ERS4340-01C
 360L EFM3607SC-L	 ERS3652-01C	 ERS3651-01C	 ERS3644-01C	 ERS3643-01C	 ERS3640-01C
<b>combined door width</b> (including connection kit) <span style="float: right;">* freezer</span>					
 1612mm		 1512mm		 1412mm	

**Important!** For complete dimensions and installation requirements, you must refer to the information provided with the product or visit [www.electrolux.com.au](http://www.electrolux.com.au)

## e:line modular refrigeration features†



model	top mount ETM5207SC	top mount ETM4407SC	bottom mount EBM5107SC
gross capacity (litres)	520	440	510
food compartment gross capacity (litres)	396	339	349
freezer compartment gross capacity (litres)	122	103	156
mark-resistant stainless steel door finish	▪	▪	▪
energy star rating	5	5	5
square flat door design	▪	▪	▪
frost-free	▪	▪	▪
multi-flow air delivery system	▪	▪	▪
separate temperature controls for fridge & freezer	▪	▪	▪
<b>fridge features</b>			
FreshLogic® deodoriser	▪	▪	▪
adjustable spillsafe™ glass shelves	2	2	1
slide away shelf (adjustable)	1	1	1
fixed spillsafe™ glass shelf	1	1	1
full width deli compartment		1	
half width deli compartment	2		2
modular anodised wine caddy	▪	▪	▪
easy glide crispers	▪	▪	▪
separated crispers	▪	▪	▪
humidity control for crisper	▪	▪	▪
half-width dairy compartment with lid (in door)	2	2	2
half-width door bins	4	4	2
full-width door bin / with bottle twist holder	2 / 1	2 / 1	2 / 1
egg tray	▪	▪	▪
interior fridge light	1 x 40 W	1 x 40 W	1 x 40 W
<b>freezer features</b>			
adjustable spillsafe™ glass shelves	1	1	
easy glide freezer bins			2
full-width freezer door bins	2	2	
freezer storage drawer			▪
twist ice server	3	3	3
removable ice bucket and scoop			▪
food freezing guide	▪	▪	▪
<b>other features</b>			
R600a refrigerant	▪	▪	▪
adjustable front rollers	▪	▪	▪
rear rollers	▪	▪	▪
door opening	L / R	L / R	L / R
<b>dimensions</b>		refer to page 44	
<b>availability</b>	AU only	AU only	AU / NZ

**Important!** Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.

e:line modular  
refrigeration  
features†



**bottom mount**  
**EBM4307SC**

**single door fridge**  
**ERM4307SC**

**single door freezer**  
**EFM3607SC**

model	EBM4307SC	ERM4307SC	EFM3607SC
gross capacity (litres)	430	430	360
food compartment gross capacity (litres)	300	430	
freezer compartment gross capacity (litres)	131		360
mark-resistant stainless steel door finish	▪	▪	▪
energy star rating	5	6	5
square flat door design	▪	▪	▪
frost-free	▪	▪	▪
multi-flow air delivery system	▪	▪	▪
separate temperature controls for fridge & freezer	▪	▪	▪
<b>fridge features</b>			
FreshLogic® deodoriser	▪	▪	
adjustable spillsafe™ glass shelves	1	3	
slide away shelf (adjustable)	1	1	
fixed spillsafe™ glass shelf	1	2	
full width deli compartment	1	2	
half width deli compartment			
modular anodised wine caddy	▪	▪	
easy glide crispers	▪	▪	
humidity control for crisper	▪	▪	
half-width dairy compartment with lid (in door)	2	2	
half-width door bins	2	4	
full-width door bin / with bottle twist holder	2 / 1	2 / 2	
full-width can bin		▪	
egg tray	▪	▪	
interior fridge light	1 x 40 W	1 x 40 W	
<b>freezer features</b>			
adjustable spillsafe™ glass shelves			3
easy glide freezer bins	2		4
freezer storage drawer	▪		▪
twist ice server	3		3
removable ice bucket and scoop	▪		▪
interior freezer light			1 x 25 W
food freezing guide	▪		▪
<b>other features</b>			
R600a refrigerant	▪	▪	▪
adjustable front rollers	▪	▪	▪
rear rollers	▪	▪	▪
door opening	L / R	R	L
<b>dimensions</b> refer to page 44			
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ

**Important!** Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



## classic e:line side by side superior styling, maximum storage

Make a statement in your kitchen with this ultra-stylish, ultra-spacious E:Line side by side refrigerator. Offering up to a massive 700L capacity, it caters to all your storage needs, and is packed with premium features to satisfy even the highest expectations.




The Electrolux E:Line large side by side shares the same sophisticated styling of linear design and high quality stainless steel finish of the Electrolux E:Line Kitchen Collection.

### room to entertain

The impressive 700L capacity enables you to store large party platters with enough space left over to chill drinks. By utilising the slide away shelf, even the tallest items can stand up in the fridge, offering you maximum flexibility.

### aim for the stars

The classic side by side refrigerators use R600a refrigerant and now boasts a minimum 5 star energy rating, so you can feel confident your refrigerator is creating less impact on the environment.



*easy glide telescopic runners in fridge and freezer*



*flexi-door bins for ultimate convenience*



*convenient ice and water dispenser*

## compact e:line side by side professionally inspired

The Electrolux E:Line compact side-by-side shares the same sophisticated styling of linear design and high quality stainless steel finish of the Electrolux E:Line Kitchen Collection.



The dedicated fridge and freezer compartments, with large storage capacity, make it easy to organise your fresh and frozen food.

### fits a standard 900mm space

The Electrolux E:Line compact side by side is cleverly designed to fit into a popular 900mm wide fridge cavity, so you can achieve a professional look without remodelling your kitchen.

### aim for the stars

The compact side by side refrigerators use R600a refrigerant and now boasts a minimum 4.5 star energy rating, so you can feel confident your refrigerator is creating less impact on the environment.



hidden hinges



adjustable wine rack



deli compartment



ice & water dispenser

## e:line side by side refrigeration features†



model	ESE6977SC	ESE7007SC	ESE6077SC	ESE6107SC
type	large	large	compact	compact
gross capacity (litres)	690	700	600	610
fridge compartment gross capacity (litres)	450	450	357	357
freezer compartment gross capacity (litres)	240	249	240	249
mark-resistant stainless steel door finish	▪	▪	▪	▪
energy star rating	5	5	4.5	5
full length designer bar handles	▪	▪	▪	▪
hidden hinges	▪	▪	▪	▪
frost-free	▪	▪	▪	▪
multi-flow air delivery system	▪	▪	▪	▪
electronic temperature controls	▪ (external)	▪ (internal)	▪ (external)	▪ (internal)
drinks chill alarm	▪	▪	▪	▪
quick freeze function	▪	▪	▪	▪
time display	▪	▪	▪	▪
eco/vacation mode	▪	▪	▪	▪
door alarm	▪	▪	▪	▪
freezer temperature alarm	▪	▪	▪	▪
separate temperature controls for fridge & freezer	▪	▪	▪	▪
<b>fridge features</b>				
adjustable spillsafe™ glass shelves	2	2	2	2
adjustable slide away shelf	▪	▪	▪	▪
full width deli compartment	▪	▪	▪	▪
modular anodised wine caddy	▪	▪	▪	▪
wine rack	▪	▪	▪	▪
full-width humidity controlled crispers	▪	▪	2	2
adjustable dairy locker	▪	▪	▪	▪
bottle bins / with bottle twist holders	2	2	4 / 2	4 / 2
FreshLogic® deodoriser	▪	▪	▪	▪
egg tray	▪	▪	▪	▪
interior fridge light	LED	LED	LED	LED
<b>freezer features</b>				
adjustable spillsafe™ glass shelves	2	3	2	3
freezer bins	3 easy glide	3 easy glide	3 baskets	3 baskets
full-width freezer door bins	▪	▪	3	5
ice & water dispenser	▪	▪	▪	▪
ice cream shelf	▪	▪	▪	▪
ice trays	▪	3 tray twist n serve	▪	2 standard trays
ice cube storage bin	▪	▪	▪	▪
interior freezer light	LED	LED	LED	LED
<b>other features</b>				
R600a refrigerant	▪	▪	▪	▪
adjustable front rollers	▪	▪	▪	▪
rear rollers	▪	▪	▪	▪
<b>dimensions</b>	refer to page 45		refer to page 45	
<b>availability</b>	AU / NZ	AU / NZ	AU / NZ	AU / NZ

**Important!** Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.



For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)

†Refer to product information details on page 47.



large side by side ice & water model ESE6977SC

## four-door an entertainer's delight, a gourmet's dream

The Electrolux four-door is a fridge of exceptional beauty, innovative design and absolute functionality.

The elegantly symmetrical four half-width doors require minimum space to swing open and are ideal for narrower kitchens and island benches.

It has an interior large enough to fit the biggest party platters. And with multiple drawers and compartments in both the fridge and the freezer, organising different fresh and frozen foods is simple.

### a freezer for the organised

With seven slide-out freezer drawers there is a place for everything. The two doors allow you to separate your long-term frozen foods from the ones you use every day, and by reducing the amount of times you open each door, you reduce energy consumption and ensure optimum performance.

### aim for the stars

This four-door fridge uses R600a refrigerant and now boasts a minimum 4 star energy rating, so you can feel confident your refrigerator is creating less impact on the environment.



*extra wide fridge compartment*



*deep door bins*



*freezer with plenty of compartments*

# built-in refrigeration totally integrated, totally you

If you prefer to customise the look of your kitchen, then the Electrolux E:Line built-in fridge and freezer has been designed for you.



*integrates with kitchen cabinetry*

It allows you the freedom to choose your own exterior, integrating perfectly with the rest of your kitchen, to create a unique design with visual synergy.

**a genuine solution**

Unlike some existing sliding integration kits, this is a genuine 'built-in' solution, with no door alignment issues and a seamless trim finish.

**aim for the stars**

These built-in models use R600a refrigerant and now boasts a minimum 5 star energy rating, so you can feel confident they are creating less impact on the environment.



*bottle fingers*



*super-sized crisper*



*spacious interior*

## four-door refrigeration features†



model	EQE6007SB
gross capacity (litres)	602
food compartment gross capacity (litres)	370
freezer compartment gross capacity (litres)	232
mark-resistant stainless steel door finish	▪
electronic controls – external	▪
frost-free	▪
express freezing function	▪
time display	▪
holiday mode	▪
door alarm	▪
freezer temperature alarm	▪
multi-flow air delivery system	▪
separate temperature controls for fridge & freezer	▪
<b>fridge features</b>	
adjustable spill safe glass shelves	2
fixed spill safe glass shelves	1
deli compartment	▪
separate crisper	▪
full-width dairy bin with lid	▪
full-width bottle bins	▪
full-width can bin	▪
egg tray	▪
interior fridge light	4 x 15W
<b>freezer features</b>	
freezer drawers with clear fascia	5
twist and serve ice trays	2
ice cube storage bins	2
<b>other features</b>	
R600a refrigerant	▪
rear rollers	▪
energy star rating	4
<b>dimensions</b>	refer to page 46
<b>availability</b>	AU / NZ

## built-in refrigeration features†



model	EFM3001WC-X	ERM3701WC-X
type	freezer	refrigerator
gross capacity (litres)	300	370
exterior finish	fully integrated*	fully integrated*
energy star rating	5	6
frost-free	▪	▪
door opening	left/right	left/right
reversible door	▪	▪
clean back design	▪	▪
thermostat and internal rotary control	▪	▪
separate temperature control	▪	▪
multi-flow air delivery	▪	▪
<b>fridge features</b>		
removable/repositionable deli compartment	▪	▪
adjustable spillsafe™ glass shelves	▪	4
modular anodised wine caddy	▪	▪
full-width crisper with humidity control	▪	▪
deodoriser	▪	▪
interior light	▪	1 x 40W
full-width bottle bin	▪	2
bottle restrainer	▪	2
full-width can bin	▪	▪
half-width bins	▪	4
full-width dairy compartment with two lids	▪	1
egg tray	▪	▪
<b>freezer features</b>		
twist ice server	▪	▪
ice cube storage bin	▪	▪
adjustable spillsafe™ glass shelves	3	▪
freezer baskets with clear fascia	4	▪
interior light	1 x 25W	▪
<b>other features</b>		
R600a refrigerant	▪	▪
rear rollers	▪	▪
<b>dimensions</b>	refer to page 46	
<b>availability</b>	AU / NZ	AU / NZ

\*door panels not included with product

**Important!** Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.

For more information please contact:

Australia 1300 363 640 [www.electrolux.com.au](http://www.electrolux.com.au)

New Zealand 09 573 2230 [www.electrolux.co.nz](http://www.electrolux.co.nz)


†Refer to product information details on page 47.




# dimensions and installation guide

## modular refrigeration


### E:Line bottom mount fridge EBM5107SC, EBM4307SC



### E:Line top mount fridge ETM5207SC ETM4407SC




### E:Line single door ERM4307SC, EFM3607SC





#### Recommended Airspaces



If you do not have a cupboard with a rear gap, the recommended clearance area on top increases from 50mm to 90mm (x) and from 32mm to 72mm (y).



**Please note:**  
Doors are designed to sit proud of cabinetry (not flush).






When positioned in a corner area, spacing of at least 400mm on the hinge side will allow the doors to open enough to enable the removal of bins and shelves.

#### Cabinet dimensions:

	max door height (H)	cabinet height (H1)	total height (H2)	door width (W)	cabinet width (W1)	total depth (D)	cabinet depth (D1)	depth door open (D2)
EBM5107SC	1720	<b>1702</b>	1720	800	<b>790</b>	745	<b>612</b>	1450
EBM4307SC	1720	<b>1702</b>	1720	700	<b>690</b>	745	<b>612</b>	1350
ETM5207SC	1720	<b>1702</b>	1720	800	<b>790</b>	745	<b>612</b>	1450
ETM4407SC	1720	<b>1702</b>	1720	700	<b>690</b>	745	<b>612</b>	1350
ERM4307SC	1720	<b>1702</b>	1720	700	<b>690</b>	683	<b>550</b>	1270
EFM3607SC	1720	<b>1702</b>	1720	700	<b>690</b>	683	<b>550</b>	1270

**Important!** Please ensure that the access to your kitchen (including doorways, corridors, island benches, etc) allows sufficient clearance to move your fridge into position.

#### Joined dimensions



**Please note:**  
Doors are designed to sit proud of cabinetry (not flush).

#### Joined cabinet dimensions:


individual cabinet widths (W1)		cabinet height (H1)	max door height (H)	joined cabinet width (Wa)	joined door width (Wb)	max total depth (D)	max cabinet depth (D1)
model 1	model 2						
790	790	1702	1720	1600	1612	745	612
790	690	1702	1720	1500	1512	745	612
690	690	1702	1720	1400	1412	745	612

For connection kit installation instructions go to [www.electrolux.com.au](http://www.electrolux.com.au)



# dimensions and installation guide

## large side by side refrigeration


**E:Line large side by side fridge**  
**ESE6977SC, ESE7007SC**



**Recommended Air spaces**




**Please note:**  
 Doors are designed to sit proud of cabinetry (not flush).





When positioned in a corner area, spacing of at least 300mm on the fridge side and 250mm on the freezer side will allow the doors to open enough to enable the removal of the crisper bins and shelves.

## compact side by side refrigeration


**E:Line compact side by side fridge**  
**ESE6077SC, ESE6107SC**



**Recommended Air spaces**



**Please note:**  
 Doors are designed to sit proud of cabinetry (not flush).




When positioned in a corner area, spacing of at least 300mm on the fridge side and 250mm on the freezer side will allow the doors to open enough to enable the removal of the crisper bins and shelves.

# dimensions and installation guide


## four-door refrigeration

### E:Line four-door fridge EQE6007SB




#### Recommended Airspaces

These are the recommended minimum clearances.




NOTE: Doors are designed to sit proud of cabinetry (not flush).

When positioned in a corner area, spacing of at least 325mm on the sides will allow the doors to open enough to enable removal of the crisper bins and shelves




## built-in refrigeration

### E:Line built-in fridge ERM3701WC-X, EFM3001WC-X



- External dimensions depend on thickness of cabinet materials used.
- Cabinet door widths should not exceed total cabinet width to allow proper door opening.

NOTE: kitchen cabinetry is not included with the appliance




Note: Ventilation grille should be cut out to suit customer requirements with a minimum of 152cm² of cross-sectional area for ventilation grille airflow.

For detailed assembly instructions, refer to the installation manual included with the products, visit [www.electrolux.com.au](http://www.electrolux.com.au) or call 1300 363 640.

## electrolux top service

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts



### delivery

The purchase of a new appliance is an exciting experience. Electrolux customers can, for an additional charge, choose to have their new appliance delivered by our experienced staff. This service, at the customer's option, includes the removal and recycling of packaging materials and even the old appliance if necessary. Delivery is available in Adelaide, Brisbane, Melbourne, Perth and Sydney. It may not be available in some rural locations and is not available in New Zealand.

### home service

Home Service is provided for repairs to appliances by trained technicians. For repairs to appliances that are outside the manufacturer's warranty period and not required as a result of a manufacturing defect, a service fee is payable. Home Service is available throughout Australia and New Zealand.

### spare parts

Home Service and Spare Parts can be contacted by phone using our toll free national numbers.

#### Australia

Service 13 13 49  
Spare Parts 13 13 50  
[www.electrolux.com.au](http://www.electrolux.com.au)

#### New Zealand

Service 0800 10 66 10  
Spare Parts 0800 10 66 20  
[www.electrolux.co.nz](http://www.electrolux.co.nz)

### customer care

For more information on Electrolux products, please call our Customer Care team or visit our website.

#### Australia

1300 363 640

#### New Zealand

09 573 2230

### warranty

Electrolux Home Products warrants that for domestic applications the Electrolux E:Line products featured in this brochure are free from defects in materials and workmanship for 2 years (3 months warranty for commercial applications, excluding dishwashers as they are only suitable for domestic or equivalent applications. They are not suitable for applications where health and industry requirements and regulations apply.) All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased. An additional 3 year warranty is provided to cover replacement of parts for the sealed refrigeration system (domestic applications only).

### Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow.

anti+bac® and FreshLogic® are registered trademarks of AB Electrolux  
pyroluxe™, IOJ™ and spillsafe™ are trademarks of Electrolux Home Products Pty Ltd



Printed on Monza Satin Recycled Art stock containing 55% recycled material & 45% from sustainable forests.

## **Electrolux Home Products**

### **Australia**

telephone: 1300 363 640  
fax: 1800 350 067  
email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)  
web: [www.electrolux.com.au](http://www.electrolux.com.au)

### **New Zealand**

telephone: 09 573 2230  
fax: 0800 36 36 00  
email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)  
web: [www.electrolux.co.nz](http://www.electrolux.co.nz)

### **The Thoughtful Design Innovator.**

Do you remember the last time you opened a gift that made you say "Oh! How did you know? That's exactly what I wanted!" That's the kind of feeling that the designers at Electrolux seek to evoke in everyone who chooses or uses one of our products. We devote time, knowledge, and a great deal of thought to anticipating and creating the kind of appliances that our customers really need and want.

This kind of thoughtful care means innovating with insight. Not design for design's sake, but design for the user's sake. For us, thoughtful design means making appliances easier to use and tasks more enjoyable to perform, freeing our customers to experience that ultimate 21st century luxury, ease of mind. Our aim is to make this ease of mind more available to more people in more parts of their everyday lives, all over the world. So when we say we're thinking of you, you know we mean just that.

The "Thinking of you" promise from Electrolux goes beyond meeting the needs of today's consumers. It also means we're committed to making appliances safe for the environment—now and for future generations.

### **Electrolux. Thinking of you.**

Share more of our thinking at [www.electrolux.com.au](http://www.electrolux.com.au) or [www.electrolux.co.nz](http://www.electrolux.co.nz)

